



BluBird®

INDUSTRIES INC.

FARMING SOLUTION



BluBird® RMX AG-LITE® OIL SHIELD BluShield



OUR GLOBALPRESENCE

 Australia

 Austria

 Belgium

 Canada

 Denmark

 Finland

 Germany

 India

 Ireland

 Netherlands

 Norway

 Poland

 Scotland

 South Africa

 Spain

 Sweden

 Switzerland

 United Kingdom

 United States of America



BluBird develops technologically, sophisticated and innovative general purpose hoses and hose reels. Thanks to our 30 years of outstanding know-how in the industry we are able to serve a broad range of customer requirements in various countries, climates and working conditions. BluBird is the only manufacturer in the world that makes both the hoses and the retractable metal hose reels that go on them.

BluBird products are manufactured in our ISO9001:2015 facility to the highest quality standards and they last 3x longer than other brands, offering a better return on investment for both residential and professional users.



INDEX

Serial #	Description	Pg. no.
1	Water	3-5
	Water Hoses	4
	Water Hose Reels	5
2	Fuel	6-7
	Fuel Hoses	6
	Fuel Hose Reels	7
3	Pressure Washer	8-10
	Pressure Washer Hoses	9
	Pressure Washer Hose Reels	10
4	Air Hoses/Reels	11-15
	Blubird Rubber Air Hoses	12
	Oilshield, Oil Resistant Air Hoses	13
	Poly Air Hoses	14
	Recoil Air Hoses	14
	Air Hose Reels	15
5	Accessories	16-18
	Rapid	17
	Wheel Chocks	18
	Work Gear	18



WATER HOSES/REELS





RUBBER WATER HOSES

RMX Industries has revolutionised how a rubber water hose is made. Traditionally made rubber water hoses are stiff and heavy. Made from 100% rubber, our BluSeal hose is the lightest, strongest, most flexible rubber hose ever made. Primarily made for the lawn and garden market this hose can also be used and is perfect anywhere where hot water is used.



- Ozone resistant cover provides protection from extreme weather, abrasions & kinks.
- Constructed with high strength polyester woven braided reinforcement.
- Four Finger Grip Bend Restrictor protects the wear and tear of hose from ends and makes the hose easier to control and use
- Plated brass fittings

Water Hose Flow

Hose I.D.	GPM @ 65 PSI	GPM @ 35 PSI
5/8"	11.90	10.30
3/4"	17.10	10.90
1"	24.70	19.80



500 PSI
Burst
Pressure



Flexibility in extreme
conditions from
-50°F to +190°F



Handles Hot Water
upto 212°F

10 Year
Limited
Warranty

Model#	SKU#	Description	I.D. (in.)	Length (ft.)	Fittings
BS5825	10010614	BluSeal Rubber Water Hose - Blue, 5/8" Hose ID, 25' Length fitted with 3/4" Male GHT x 3/4" Female GHT Fittings	5/8	25	2 x 3/4" GHT coupling
BS5850	10010615	BluSeal Rubber Water Hose - Blue, 5/8" Hose ID, 50' Length fitted with 3/4" Male GHT x 3/4" Female GHT Fittings	5/8	50	2 x 3/4" GHT coupling
BS5875	10010616	BluSeal Rubber Water Hose - Blue, 5/8" Hose ID, 75' Length fitted with 3/4" Male GHT x 3/4" Female GHT Fittings	5/8	75	2 x 3/4" GHT coupling
BS58100	10010612	BluSeal Rubber Water Hose - Blue, 5/8" Hose ID, 100' Length fitted with 3/4" Male GHT x 3/4" Female GHT Fittings	5/8	100	2 x 3/4" GHT coupling
BS3450	10010607	BluSeal Rubber Water Hose - Blue, 3/4" Hose ID, 50' Length fitted with 3/4" Male GHT x 3/4" Female GHT Fittings	3/4	50	2 x 3/4" GHT coupling
BS34100	10010600	BluSeal Rubber Water Hose - Blue, 3/4" Hose ID, 100' Length fitted with 3/4" Male GHT x 3/4" Female GHT Fittings	3/4	100	2 x 3/4" GHT coupling
BSONE50	10010639	BluSeal Rubber Water Hose - Blue, 1" Hose ID, 50' Length fitted with 3/4" Male GHT x 3/4" Female GHT Fittings	1	50	2 x 3/4" GHT coupling
BSONE100	10010635	BluSeal Rubber Water Hose - Blue, 1" Hose ID, 100' Length fitted with 3/4" Male GHT x 3/4" Female GHT Fittings	1	100	2 x 3/4" GHT coupling

18 g.a HEAVY DUTY WATER HOSE REELS

The water hose reels are an ultimate combination of an 18 gauge powder coated steel body with a heavy duty steel spring and an industry leading 12pt ratchet along with a best in class 100% rubber water hose that is the lightest, strongest, most flexible rubber water hose ever made. The reel carries an unmatched 2 year warranty.



Heavy Duty Single Arm Retractable Water Hose Reel (Medium) 1



Stainless Steel Single Arm Retractable Water Hose Reel (Medium) 2




Reel Features

- Unmatched 2 year warranty
- 18 gauge powder coated steel construction
- 12 point ratchet system which helps lock out the hose at shorter lengths
- Specialised internal system reduces the spring vibration, enables quieter operations & extends the life of spring
- Includes 3' Lead-in hose of relevant brand

Stainless Steel Reel comes with stainless steel fasteners

Mounting Options



12 point ratchet gearing system



Comes with Rubber Gasket



Four rollers reduce hose wear



1	Model#	SKU#	Description	I.D	Length	Fitting
	BSWR5850	10010655	Bluseal Heavy Duty Retractable Rubber Water Hose Reel 5/8" x 50' w/ 6' Lead-In + Spray Nozzle	5/8"	50'	2 x 3/4" GHT coupling
	BSWR3450	10010651	Bluseal Heavy Duty Retractable Rubber Water Hose Reel 3/4" x 50' w/ 6' Lead-In + Spray Nozzle	3/4"	50'	2 x 3/4" GHT coupling
2	Model#	SKU#	Description	I.D	Length	Fitting
	BSWRSS5850	10010662	Bluseal Retractable Stainless Steel Rubber Air Hose Reel 5/8" x 50' w/ 6' Lead-In Hose + Spray Nozzle	5/8"	50'	2 x 3/4" GHT coupling



Fuel Transfer Hoses

For use with diesel, gasoline, kerosene, bio diesel B10 and B20

8" Internal strain relief springs on each end to prevent kinking at the coupling

2x kink resistant than other fuel hoses

Ozone and abrasion resistant cover

Static wire allows use with electric pumps

For use where UL approval is not required*


100 PSI Burst Pressure
RMA Class A
oil-resistant tube & cover



Award Winning Formulation



1 Year Warranty



This product is intended to be used in applications where UL approval is not required.

Model#	SKU#	Description	I.D.(in.)	Length (ft.)	Fitting
OSFH3410	10011096	OilShield Farm Fuel Hose 3/4" x 10	3/4"	10	3/4 Male NPT
OSFH3412	10011097	OilShield Farm Fuel Hose 3/4" x 12	3/4"	12	3/4 Male NPT
OSFH3420	10011098	OilShield Farm Fuel Hose 3/4" x 20	3/4"	20	3/4 Male NPT
OSFHONE10	10011101	OilShield Farm Fuel Hose 1" x 10	1"	10	3/4 Male NPT
OSFHONE12	10011102	OilShield Farm Fuel Hose 1" x 12	1"	12	3/4 Male NPT
OSFHONE20	10011103	OilShield Farm Fuel Hose 1" x 20	1"	20	3/4 Male NPT



18 ga. Heavy Duty Fuel Transfer Hose Reels



Constructed with 18 gauge heavy duty steel & with ribbed edges, our fuel transfer hose reel ensures strength, durability and operator safety ! It provides stability and reliability in any environment.

Specialized internal system to reduce vibration and offer stability

Smooth auto-rewind with locking 12 point ratchet gearing system.



Four rollers reduce hose wear & tear



Mounting Options:



Dual Arm Construction for extreme stability



1 Year Warranty

Model#	SKU#	Description	I.D	Length	Fitting
OSFHR3425	10011105	OilShield Farm Fuel Hose Reel - Black, 3/4" Hose ID, 25' Length fitted with Outlet - 3/4" NH & Reel Inlet 3/4" NH	3/4"	25'	2 x 3/4 NH
OSFHR3450	10012142	OilShield Farm Fuel Hose Reel - Black, 3/4" Hose ID, 50' Length fitted with Outlet - 3/4" NH & Reel Inlet 3/4" NH	3/4"	50'	2 x 3/4 NH

MOTOR MAGAZINE, USA




BluShield™
by RMX

3/8" RUBBER PRESSURE WASHER HOSE - 4100 PSI

PRESSURE WASHER HOSES & REELS

LIGHTEST
STRONGEST
MOST FLEXIBLE
100% RUBBER

**REINFORCED WITH
ARAMID**





Pressure Washer Hoses

The BluShield aramid braided 4100 PSI Pressure Washer Hose is the lightest and most flexible 100% rubber pressure washer hose ever made. It has a 16,400 PSI safety burst pressure rating (4:1). Using aramid fiber for the braiding instead of steel the BluShield Pressure washer hose doesn't have all of the negatives associated with rubber pressure washer hoses. Aramid is 5X's stronger than steel yet it's lighter and more flexible making the hose light and flexible. There are no safety issues with steel shards coming up through the cover or puncturing the core causing the hose to burst. The BluShield pressure washer hose also carries an unmatched 1 year warranty against manufacturing defects.



- **4100 PSI Working Pressure | 16400 PSI Burst Pressure**
- 1 year warranty
- 100% rubber construction
- Aramid woven braided reinforcement
- Maintains integrity under extreme weather conditions
- Ozone resistant
- Abrasion resistant
- Kink Resistant
- Bend restrictor for better use & easier control over the hose.

Fitting Available:



Male Swivel




Male Fixed

Aramid Braided Pressure Washer Hoses

35% Lighter and more flexible than standard rubber pressure washer hoses

Non-Marking Design



Up to 40% Lighter than Wire Braided Hose



Aramid Braided Reinforcement



More Flexible & Durable VS Wire Braids



Handles Hot Water upto 250°F



Cold weather flexibility upto -20°F

Model#	SKU#	Description	I.D	Length	Fitting
PW3835	10011326	Blushield Rubber Pressure Washer Hose 3/8" x 35'	3/8"	35'	3/8" M-NPT revolving + 3/8" M-NPT fixed
PW3850	10011333	Blushield Rubber Pressure Washer Hose 3/8" x 50'	3/8"	50'	3/8" M-NPT revolving + 3/8" M-NPT fixed
PW38100	10011305	Blushield Rubber Pressure Washer Hose 3/8" x 100'	3/8"	100'	3/8" M-NPT revolving + 3/8" M-NPT fixed
PW3835-NM	10011329	Blushield Rubber Pressure Washer Non-Marking Hose 3/8" x 35'	3/8"	35'	3/8" M-NPT revolving + 3/8" M-NPT fixed
PW3850-NM	10011336	Blushield Rubber Pressure Washer Non-Marking Hose 3/8" x 50'	3/8"	50'	3/8" M-NPT revolving + 3/8" M-NPT fixed +
PW38100-NM	10011308	Blushield Rubber Pressure Washer Non-Marking Hose 3/8" x 100'	3/8"	100'	3/8" M-NPT revolving + 3/8" M-NPT fixed



YouTube

Pressure Washer Hose Reels

The BluShield heavy duty retractable metal reels are constructed using 18 gauge powder coated steel that is highly resistant to rubbing, flaking, and rust. The reel features a heavy duty steel spring and an industry leading 12 point ratchet which helps lock out the hose at shorter lengths. Also, the reel features a rubber gasket that helps extend the life of the spring. The reels have an unmatched 1 year warranty.



Unmatched 1 year warranty


12 point ratchet system which helps lock out the hose at shorter lengths

Can also be mounted on wall, ceiling or floor, trucks and trailers

Specialised internal system reduces the spring vibration, enables quieter operations & extends the life of spring

Includes 6' Lead-in hose

Mounting Options



Heavy Duty Dual Arm Retractable Pressure Washer Hose Reel (Medium) **1**




Heavy Duty Dual Arm Retractable Pressure Washer Hose Reel (Large) **2**



Heavy Duty Dual Arm Retractable Pressure Washer Hose Reel (Medium) **3**



Heavy Duty Dual Arm Retractable Pressure Washer Hose Reel (Large) **4**



Serial#	Model#	SKU#	Description	I.D	Length	Fitting
1	PWR3850	10011388	Blu Shield Pressure Washer Hose Reel ID-3/8"x50'	3/8"	50'	3/8" M-NPT revolving + 3/8" M-NPT fixed
2	PWR38100	10011386	Blu Shield Pressure Washer Hose Reel ID-3/8"x100'	3/8"	100'	3/8" M-NPT revolving + 3/8" M-NPT fixed
3	PWR3850-NM	10011380	Blu Shield Pressure Washer Hose Reel Non Marking ID-3/8"x50'	3/8"	50'	3/8" M-NPT revolving + 3/8" M-NPT fixed
4	PWR38100-NM	10011371	Blu Shield Pressure Washer Hose Reel Non Marking ID-3/8"x100'	3/8"	100'	3/8" M-NPT revolving + 3/8" M-NPT fixed



Ultra Light, Super Strong Rubber, PVC & Poly Air Hoses



Air Hoses



BluBird®

Safest | Strongest | Most Flexible

Best in Class !

40% Lighter than Standard
Rubber Air Hoses | **100% Rubber**

Bluebird hoses are 40% lighter, stronger and more flexible than other rubber hoses. Bluebird hoses have superior cold weather flexibility down to -50°F and maintains its integrity up to +190°F making it a year round hose in most parts of the world. BluBird has an abrasion resistant external cover, high strength woven polyester reinforcement to prevent elongation and industrial thread and yard which adds superior strength giving BluBird a 300 PSI working pressure and a 4:1 safety burst factor.



- Solid Brass fittings superior than aircraft aluminium
- High strength polyester woven braided reinforcement
- Maintains integrity under extreme weather conditions
- Ozone resistant
- Abrasion resistant
- Kink Resistant
- 4 finger grip bend restrictor for better use & easier control over the hose.



Flexibility in extreme conditions from -50°F to +190°F

| 300 Working Pressure

| 1200 PSI Working Pressure

| 4:1 Safety Factor

| 10 Year Limited Warranty

General Purpose Hoses

Model#	SKU#	Description	I.D	Length	Fitting
BB3825	10010361	Blubird Rubber Air Hose 3/8" x 25'	3/8"	25'	2 x 3/8" NPT with 1/4" Reducers
BB3850	10010374	Blubird Rubber Air Hose 3/8" x 50'	3/8"	50'	2 x 3/8" NPT with 1/4" Reducers


Snubber Air Hoses

The BluBird Snubber hose is the perfect accessory for your work area. It helps keep the supply hose on the ground and helps prevent a tripping hazard in work area. The BluBird Snubber hose is made from the same technology of Blubird hose. It has all the features of the Blubird hose. Put one of the Blubird snubber hoses on each tool and make changing out tools quicker and easier as well as keeping your work area safer.



90 Days workmanship warranty

- Solid Brass fittings superior than aircraft aluminium
- 360° ball swivel reduces twisting and kinking of hose
- High strength polyester woven braided reinforcement
- 300 PSI working pressure | 4:1 Safety factor
- Maintains integrity under extreme weather conditions
- Flexibility from -50°F to +190°F
- Ozone resistant | Abrasion resistant Kink Resistant
- 4 finger grip bend restrictor for better use & easier control over the hose.



Model#	SKU#	Description	I.D	Length	Fitting
BBSR3805	10010545	Blubird Snubber Air Hose 3/8" x 5' w/ 360° Ball Swivel	3/8"	5'	1/4" FNPT + 1/4" M-Ball Swivel Fitting



FastFix fittings allow a damaged hose to be repaired in a few minutes.

Sold Brass FastFix fittings are superior to aircraft aluminum fittings

The BluBird FastFix hose is a combination of the BluBird Hose and FastFix field repairable fittings. The Blubird hose is the lightest, strongest most flexible 100% rubber air hose ever made and the FastFix field repairable fittings make it easy and fast to repair a hose in minutes, restoring the hose to it's original 300 PSI working pressure, 1200 PSI burst rating. The FastFix fittings are 100% brass for strength and durability.



Solid Brass FastFix fittings superior than aircraft aluminium

Hose Features

- 40% lighter hose than standard rubber air hoses
- 100% rubber construction
- High strength polyester woven braided reinforcement
- Maintains integrity under extreme weather conditions
- Ozone resistant
- Abrasion resistant
- Kink Resistant
- 4 finger grip bend restrictor for better use & easier control over the hose.





Flexibility in extreme conditions from -50°F to +190°F

|

300

Working Pressure

|

4:1

Safety Factor

|

10

Year Limited Warranty on hose

|

1

Year Limited Warranty on fittings

Model#	SKU#	Description	I.D	Length	Fitting
BB1450-FX	10010323	Blubird Air Hose 1/4" x 15' with field Repairable Fittings	1/4"	50'	2 x 1/4" Male NPT
BB14100-FX	10010311	Blubird Air Hose 1/4" x 15' with field Repairable Fittings	1/4"	100'	2 x 1/4" Reducers



YouTube





How to fix a damaged hose with FastFix!



1 Determine where the hose is damaged



2 Pull the bend restrictor past where the hose is damaged



3 Unscrew the FastFix Fitting



4 Slide the lower portion of the FastFix Fitting past where the hose is damaged



5 Cut the hose at the end where the remaining part of the FastFix fitting is



6 Remove the barbed swivel fitting from the end of the hose

Cut and remove the damaged part of the hose



Insert barbed swivel into the end of the hose



Slide the lower part of the Fastfix fitting and screw onto the swivel and tighten



Slide the bend restrictor back up to the fitting



Double check that everything is connected properly and tight



Your Hose Is As Good As It Was Before

FastFix Fittings

Model#	SKU#	Description
FFFX12	10010570	Fast Fix - 1/2" Air Hose Assembly Repair Fitting - w/ 1/2" MNPT Fixed
FFFX14	10010571	Fast Fix - 1/4" Air Hose Assembly Repair Fitting - w/ 1/4" MNPT Fixed
FFFX38	10010572	Fast Fix - 3/8" Air Hose Assembly Repair Fitting - w/ 1/4" MNPT Fixed
FFSPI2	10010573	Fast Fix - 1/2" Air Hose Assembly Repair Fitting - w/ 1/2" MNPT Splicer
FFSPI4	10010574	Fast Fix - 1/4" Air Hose Assembly Repair Fitting - w/ 1/4" MNPT Splicer
FFSP38	10010575	Fast Fix - 3/8" Air Hose Assembly Repair Fitting - w/ 1/4" MNPT Splicer
FFSW14	10010576	Fast Fix - 1/4" Air Hose Assembly Repair Fitting - w/ 1/4" MNPT Swivel
FFSW38	10010577	Fast Fix - 3/8" Air Hose Assembly Repair Fitting - w/ 1/4" MNPT Swivel



RMA Class A Oil Resistant Air Hose

A Perfect Shop Hose

30% Lighter than standard
rubber air hoses in same class
100% Rubber

Oil-Shield is the best shop hose in the market today. Oil-Shield is 100% rubber with a Nitrile core and Nitrile cover giving Oil-Shield a Class A Oil-Resistance rating. The best oil resistance rating possible. Oil-Shield unlike other heavy and stiff rubber air hoses is 30% lighter than traditionally made rubber hoses, more flexible & stronger. It is the perfect shop hose where hoses come in contact with oil, diesel fuel, gas, cleaning agents and anything else found in shops including welding spatter and grinding sparks.



- RMA Class A oil resistant core tube and cover
- Resists welding spatters and grinding sparks
- Solid Brass fittings superior than aircraft aluminium
- High strength polyester woven braided reinforcement
- Maintains integrity under extreme weather conditions
- Ozone resistant
- Abrasion resistant
- Kink Resistant
- 4 finger grip bend restrictor for better use & easier control over the hose.



Flexibility in extreme
conditions from
-30°F to +190°F

300

PSI
Working
Pressure

1200

PSI
Working
Pressure

4:1

Safety
Factor

3

Year
Limited
Warranty

General Purpose Hoses

Model#	SKU#	Description	I.D	Length	Fitting
OS3835	10011088	Oilshield Rubber Air Hose 3/8" x 35'	3/8"	35'	2 x 3/8" Male NPT 1/4" Reducers
OS3850	10011089	Oilshield Rubber Air Hose 3/8" x 50'	3/8"	50'	2 x 3/8" Male NPT 1/4" Reducers
OS38100	10011083	Oilshield Rubber Air Hose 3/8" x 100'	3/8"	100'	2 x 3/8" Male NPT 1/4" Reducers



YouTube



Perfect Hose for roofers
and contractors

Premium Poly Air Hose

Avagard Braided Polyurethane hoses are great for outdoor and indoor use. Having great cold weather flexibility, being lightweight and non-marking, these hoses outperform nylon hoses. They feature bend restrictors to protect the revolving fittings that are on both ends of the hose..



1/4" brass male NPT revolving end

- Bend restrictor for better use & easier control over the hose.
- Non-Marking exterior
- Abrasion & kink Resistant
- Oil Resistant
- Flexibility from -40°F upto +165°F
- Three layered durable construction
- Constructed with nylon spiral braided reinforcement



Flexibility in extreme
conditions from
-40°F to 165°F

300 PSI
Working
Pressure

900 Burst
Pressure

2 Year
Warranty

Model#	SKU#	Description	I.D	Length	Fitting
PU14100	10011210	Avagard Poly Air Hose 1/4" x 100'	1/4"	100'	2 x 1/4" Male Revolving NPT

Premium Poly Recoil Air Hose

Avagard Braided Polyurethane Recoil hoses are great for outdoor and indoor use. Having great cold weather flexibility, being lightweight and non-marking, these hoses outperform nylon hoses. They feature bend restrictors to protect the revolving fittings that are on both ends of the hose.

Perfect Hose for
Contractors and Shops

1 Year Warranty

- Perfect Hose for roofers and contractors
- Retains self coiling properties
- Bend restrictor for better use & easier control over the hose.
- 300 PSI working pressure
- 3:1 safety factor
- Non-Marking exterior
- Abrasion & kink Resistant
- Oil Resistant
- Flexibility from -40°F upto +165°F
- Three layered durable construction
- Constructed with nylon spiral reinforcement
- 1/4" brass male NPT revolving end



Model#	SKU#	Description	I.D	Length	Fitting
PUBR1425-5	10011226	Avagard PU Braided Recoil Air Hose 1/4" x 25' Translucent Blue	1/4"	25'	2 x 1/4" Male Revolving NPT


Air Hose Reels

Blubird is the only company in the world that manufactures both hoses and auto-retractable metal reels with hoses. The BluBird heavy duty retractable reels are constructed with either 18 or 20 gauge powder coated steel that is highly resistant to rubbing, flaking and rust. Both the 18 and 20 gauge reels are equipped with a powerful heavy duty spring and a class leading 12 point ratchet system that helps lock out the hose at shorter lengths and also enables a smooth auto rewind. The 18 gauge reels also feature a rubber gasket for extended life of the spring. Reels are available in both single and dual arm varieties. The reels carry an unmatched 2 year warranty.

Reel Features

- Unmatched 2 year warranty
- 20 gauge powder coated steel construction
- 12 point ratchet system which helps lock out the hose at shorter lengths
- Specialised internal system reduces the spring vibration, enables quieter operations & extends the life of spring
- Includes 3' Lead-in hose of relevant brand


Mounting Options



Single Arm Retractable Air Hose Reel (Small)



Single Arm Retractable Air Hose Reel (Medium)



Heavy Duty Single Arm Retractable Air Hose Reel (Medium)



Heavy Duty Single Arm Retractable Air Hose Reel (Large)



Heavy Duty Dual Arm Retractable Air Hose Reel (Medium)



Heavy Duty Dual Arm Retractable Air Hose Reel (Large)



Serial#	Model#	SKU#	Description	I.D	Length	Fitting
1	BBR3825	10010485	Blubird Retractable Rubber Air Hose Reel 3/8" x 25' w/ 3' Lead-In Hose	3/8"	25'	2 x 3/8" Male NPT
2	BBR3850	10010489	Blubird Retractable Rubber Air Hose Reel 3/8" x 50' w/ 3' Lead-In Hose	3/8"	50'	2 x 3/8" Male NPT
3	OSRHD3850	10011136	Oilshield Heavy Duty Retractable Rubber Air Hose Reel 3/8" x 50' w/ 3' Lead-In Hose	3/8"	50'	2 x 3/8" Male NPT
5	OSRDA3850	10011129	Oilshield Dual Arm Retractable Rubber Air Hose Reel 3/8" x 50' w/ 3' Lead-In Hose	3/8"	50'	2 x 3/8" Male NPT
4	OSRHD3875	10011122	Oilshield Heavy Duty Retractable Rubber Air Hose Reel 3/8" x 75' w/ 3' Lead-In Hose	3/8"	75'	2 x 3/8" Male NPT
6	OSRDA38100	10011128	Oilshield Dual Arm Retractable Rubber Air Hose Reel 3/8" x 100' w/ 3' Lead-In Hose	3/8"	100'	2 x 3/8" Male NPT
4	OSRHD1250	10011132	Oilshield Heavy Duty Retractable Rubber Air Hose Reel 3/8" x 75' w/ 3' Lead-In Hose	1/2"	50'	2 x 1/2" Male NPT
6	OSRDA1250	10011126	Oilshield Heavy Duty Retractable Rubber Air Hose Reel 3/8" x 75' w/ 3' Lead-In Hose	1/2"	50'	2 x 1/2" Male NPT



Accessories



BlueBird **Rapid TIE**™ 

BlueBird®

Rapid TIE™



Non marring Flexible Vinyl Tie

Easily Expandable

2
YEAR
WARRANTY



US PATENT: D615,385



- 100% Quality tested
- Stretches upto 50% of its length
- Oil Resistant
- Non conductive



Flexible from
-60°F to 200°F



Stretch to
Soften



UV and Ozone
Resistant



Easily Links
Together



Non-marring



Adjustable
Tension



Model#

SKU#



Description

BBRT01-BL	10012066	Bluebird 'Rapid Tie' Non Marring Strap 16", Pack of 2, Blue
BBRT01-BK	10012067	Bluebird 'Rapid Tie' Non Marring Strap 16", Pack of 2, Black
BBRT01-RD	10012068	Bluebird 'Rapid Tie' Non Marring Strap 16", Pack of 2, Red
BBRT01-YL	10012069	Bluebird 'Rapid Tie' Non Marring Strap 16", Pack of 2, Yellow
BBRT01-GN	10012070	Bluebird 'Rapid Tie' Non Marring Strap 16", Pack of 2, Green
BBRT01-OR	10012071	Bluebird 'Rapid Tie' Non Marring Strap 16", Pack of 2, Orange
BBRT01-BG	10012072	Bluebird 'Rapid Tie' Non Marring Strap 16", Pack of 2, Beige
BBRT01-WT	10012073	Bluebird 'Rapid Tie' Non Marring Strap 16", Pack of 2, White
BBRT01-10-BL	10012074	Bluebird 'Rapid Tie' Non Marring Strap 16", Pack of 10, Blue
BBRT01-10-BK	10012075	Bluebird 'Rapid Tie' Non Marring Strap 16", Pack of 10, Black
BBRT01-10-RD	10012076	Bluebird 'Rapid Tie' Non Marring Strap 16", Pack of 10, Red
BBRT01-10-YL	10012077	Bluebird 'Rapid Tie' Non Marring Strap 16", Pack of 10, Yellow
BBRT01-10-GN	10012078	Bluebird 'Rapid Tie' Non Marring Strap 16", Pack of 10, Green
BBRT01-10-OR	10012079	Bluebird 'Rapid Tie' Non Marring Strap 16", Pack of 10, Orange
BBRT01-10-BG	10012080	Bluebird 'Rapid Tie' Non Marring Strap 16", Pack of 10, Beige
BBRT01-10-WT	10012081	Bluebird 'Rapid Tie' Non Marring Strap 16", Pack of 10, White



Features

- Nonslip ridges for a firm grip
 - UV-, oil-, salt- and acid-resistant for use in situations with corrosive chemicals
 - Includes eyebolt & handles for easy carrying or to connect two chocks
 - Wide base for increased stability and rigidity
- Heavy-duty rubber constructed wheel chock for lasting life

	Model#	SKU#	Description
	BBRWC01	10010530	Double Sided Pyramid Wheel Chock with Eye bolt
	BBRWC04	10010533	Contoured Wheel Chock with Eye Bolt

Work Gear

Work Gear is our new line of Tool Bags & Pouches. These bags and pouches are tailor made to fit the needs of the professional as well as the do-it-yourselfer.



- Virtually "untearable" stitching
- Rubber foam and hard bottoms protect the bags from hard falls
- Adjustable compression pocket accepts bulky items
- Made with 600D polyester sewn together with heavy duty sticking for maximum durability.

Model#	SKU#	Description
BBTB03	10010551	"The Large Hard Bottom multi-pocketed toolbag comes with 31 Pockets & hard P.V.C Base. A wired mouth keeps the bag open in use with heavy-duty shoulder straps, handles and zips."
BBTB07	10010555	"A superior quality, heavy-duty nail and tool bag with 2 main pockets, 2 additional upper pockets, and 7 smaller pockets and sleeve to hold your nails, fasteners and tools."
BBTB09	10010558	"Tool Pouch by BluBird® is compact & convenient enough to go anywhere. This tool pouch is just right for jobs where you need to have your essential tools close at hand."
BBTB14	10010563	"The drill holster has a safety strap with a quick-release buckle for easy access to your drill. The holster keeps your drill balanced and at the Right angle and at your finger ps."



OUR GLOBALPRESENCE

 Australia
 Austria
 Belgium
 Canada
 Denmark
 Finland
 Germany

 India
 Ireland
 Netherlands
 Norway
 Poland
 Scotland
 South Africa

 Spain
 Sweden
 Switzerland
 United Kingdom
 United States of America



A DIVISION OF



Visit Website

Contact us:

sales@blubirdindustries.com | tel:+1.844.769.4673

30 N Gould St Ste 4025 Sheridan, WY 82801